

Address : No.230,Nanxuan Rd.,Hemei Township,Changhua County 50849,TaiwanTEL : 886-4-7561316FAX : 886-4-7567683Website : www.ssf-tw.comE-mail:info@ssf-tw.com

Multi-patented caulking gun assist a wide range of

your caulking work!

About us

Siang Syuan Fu was established in 1991. We mainly develop and manufacture caulk guns series products and other accessories. Due to well-developed skills in caulk guns, our products are recognized by domestic and international customers. And not only that, our caulking guns are multi-patented. We persist in inventing unique and excellent quality products for every customer. In order to meet rapidly demands on customers' ordering, we expanded our company and named the firm "Siang Syuan Fu Enterprise Co., Ltd." in 2000. Our products obtain more than 100 patents and wins great reputation in Taiwan, Japan, USA, UK and EU. We continues to keep innovation and develop the caulking gun that are not only easy to operate but also unique from the market. We focus on the solid quality of our product and ensure every caulking gun have excellent performance.

Unique multi-functional caulking guns

We adds two new switching thrust ratio caulk gun in 2022. The first one is SGD series, which has variable thrust ratio (9:1 & 18:1). It can be used on low to medium viscosity materials. Another one is SRD series, which has switchable thrust ratio (12:1 & 24:1). It can be used on low to high viscosity materials. Moreover, it can be as a weather switch mode. For instance, when you are using silicone in the winter, the viscosity of the sealants is easily be influenced and getting stiff. Under this circumstance, users can switch the thrust ratio to higher thrust ratio one (24:1), at this moment, it will let users feel more easy to squeeze the trigger to extrude the materials out.

Besides that, we adds a 3-stage non-drip/ dripless function on it. From 0 to 2, you can switch the mode you favored to easily keep materials drip or not dripping. You can refer to bellowed picture (Picture 1.1/ Picture 1.2) to know how it work.



Address : No.230,Nanxuan Rd.,Hemei Township,Changhua County 50849,TaiwanTEL : 886-4-7561316FAX : 886-4-7567683Website : www.ssf-tw.comE-mail:info@ssf-tw.com



▲ Instruction Tag 1.1



▲ Instruction Tag 1.2

New design detachable cutter

Cartridge cutter is an important tool for simply cutting the cartridge nipple and nozzle. With it, you no longer need a utility knife. A safer cutter that allows users to cut the perfect angle. To make it more convenient as you want, we design a detachable cutter. It can be assembled on the push rod on our single component and sausage gun. Comes in handy without bringing a cutter when doing caulking application. Users can also detach it from the gun and use it individually. Refer to the



Address : No.230,Nanxuan Rd.,Hemei Township,Changhua County 50849,TaiwanTEL : 886-4-7561316FAX : 886-4-7567683Website : www.ssf-tw.comE-mail:info@ssf-tw.com

below picture (instruction 2.1) to know its unique function.



▲ Instruction Tag 2.2

There are a lot of rod puller choices.

- Ladder hook puller



- Patented 2-in-1 convertible rod puller
- Impact resistant nylon rod puller
- Patented rod puller with detachable cartridge cutter

We also have other patented caulking gun!

Rodless Caulking Gun:

We've invented and manufactured a unique rodless caulking gun. The rodless caulk guns remove the ladder hook and install this functions on the top of the carriage. A steel belt replace the rod puller so that you can smoothly push and pull the button. When you install a full sealant on your caulk guns, you won't be disturbed by the ladder hook. SSF-168 caulk gun is equipped with patented release pressure system. It will automatically release the pressure once you press the upper part of the trigger. When you temporarily stop applying caulk, you can press the upper trigger to stop



Address : No.230,Nanxuan Rd.,Hemei Township,Changhua County 50849,TaiwanTEL : 886-4-7561316FAX : 886-4-7567683Website : www.ssf-tw.comE-mail:info@ssf-tw.com

sealants dripping down. Furthermore, SSF-168 handle is located in the middle of the caulk gun body. It's stable for you to hold this caulking gun without tilting forward. Our unique rodless caulking guns are designed for smoothly and comfortably applying caulk in a narrow space. With belt-in hook, you can hang it on your belt. Compared to caulk guns with ladder hook, you can smoothly do whatever you want without being caught on the hook.



Product item: SSF-168

36X Powerful Caulking Gun

With more powerful thrust ratio, 36X series enables to dispense high-viscosity materials such as PU, epoxy...etc. When applying caulk in cold weather, the materials will influenced by the weather and get stiff. The high performance drive of 36:1 thrust ratio reduces user's hand and wrist strength and allows you easily apply high-viscous materials.

High quality aluminum alloy handle & trigger Key features of it is we use high quality aluminum alloy to make the handle and trigger and treated by liquid coating.

It ensures long durability, better abrasion resistance and corrosion resistance. Also, make it more aesthetic.

Patented no trigger gaps design It's equipped with a patented no trigger gaps design.

5

SIANG SYUAN FU ENTERPRISE CO., LTD

Address : No.230,Nanxuan Rd.,Hemei Township,Changhua County 50849,TaiwanTEL : 886-4-7561316FAX : 886-4-7567683Website : www.ssf-tw.comE-mail:info@ssf-tw.com

When there is too much free play on the trigger, without adjusting the screw, it will automatically have no free play on the trigger.

Even though it's used for a long term, the trigger has still no free play. It means when we squeeze the trigger, the sealants will immediately extrude out so as to offer precise dispensing and extends tool life.

Optional patented protect case design The protect case that can be chosen. It can cover the handle and prevent dusty in parts.

Welcome to visit our stand! You can feel unique multifunctional caulk guns at our booth! It's our pleasure to introduce our products to you personally.

Here is our booth info. Hall 4.1 / Booth No. F088/ G089